

# Notice of Allowability

## Application No.

09/965,555

## Examiner

Luan Thai

## Applicant(s)

BERRY, MICHELE J.

## Art Unit

2827

### -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 12/27/02.
  2. ☒ The allowed claim(s) is/are 1-13 and 23-35 (renumbered as 1-26, respectively).
  3. ☒ The drawings filed on 27 September 2001 are accepted by the Examiner.
  4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
    - (a) ☐ The translation of the foreign language provisional application has been received.
  6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No. \_\_\_\_\_.
  - (b) ☐ including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the top margin (not the back) of each sheet. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

- |  |   |
|--|---|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892)  | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)          |
| 3 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                    | 4 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____             |
| 5 <input type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. _____               | 6 <input type="checkbox"/> Examiner's Amendment/Comment                             |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
|  | 9 <input type="checkbox"/> Other  |

### DETAILED ACTION

This Office action is responsive to the amendment filed on December 27, 2002.

1. Claims 1-13 and 23-35 are allowed and renumbered as 1-26, respectively.
2. The following is an examiner's statement of reasons for allowance: the prior art taken either singly or in combination fails to anticipate or fairly suggest the method steps:
  - a) attaching pins to the package substrate, through the polymer material by solder reflow, and allowing the polymer material to cure about solder joints associated with the pins, as recited in independent claims 1 and 23,
  - b) selectively applying an encapsulation material about solder joints associated with the individual pins, the encapsulation material to maintain a location of the individual pins on the package substrate during subsequent high temperature processing, as recited in independent claims 10 and 32; especially when these limitations are considered within the specific combination claimed.
3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/965,555  
Art Unit: 2827

Page 3

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luan Thai whose telephone number is (703) 308-1211. The examiner can normally be reached on 7:00 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L. Talbott can be reached on (703) 305-9883. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Luan Thai  
April 4, 2003



DAVID L. TALBOTT  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800